

Empowering Innovations of the Recent Technology through Convergence of IoT Big Data and Cloud

^aSyeda Imrana Fatima, ^bA.Bakiyalakshmi, ^cSayeedakhanum Pathan

^aPG Student, CSE, Dr. Babasaheb Ambedkar marathwada university, Aurangabad, India, 431001

^bAssistant Professor, CSE, Aurora Scientific Technological and Research Academy, Hyderabad, India, 500005

^cAssistant Professor, CSE, Aurora Scientific Technological and Research Academy, Hyderabad, India, 500005

Abstract

Internet of Things (IoT) will comprise millions of devices that can sense, communicate, compute and potentially actuate. Data streams coming from these devices will challenge the traditional approaches to data management and contribute to the emerging paradigm of big data. This paper discusses emerging Internet of Things (IoT) architecture, large scale sensor network applications, federating sensor networks, sensor data and related context capturing techniques, challenges in cloud-based management, storing, archiving and processing of sensor data.

KEYWORDS: Big Data, Internet of Things, Large Scale Sensor Networks, Cloud Computing, Data Management.

I Introduction

The modern technology-savvy world is full of devices comprising sensors, actuators, and data processors. Such concentration of computational resources enables sensing, capturing, collection and processing of real time data from billions of connected devices serving many different applications including environmental monitoring, industrial applications, business and human-centric pervasive applications. These developments have brought us to the era of Internet of Things (IoT) [1] by introducing IoT in 1998 as concept [2]. However, sensing the environment around us and objects populating this environment became synonymous with the introduction of pervasive or ubiquitous computing by the paper 'The Computer for 21st Century' [3] in 1991 in the same year where World Wide Web became available. The major enabler of IoT is sensor networks. IoT has three unique features [4]: intermittent sensing, regular data collection, and Sense-Compute-Actuate (SCA) loops.




Fig 1: The amount of data generated on earth exceeded one zetta byte in 2010. It is predicted that data volume will grow exponentially as depicted¹.

In 2010, the total amount of data on earth exceeded one zetta byte (ZB) [5], [6] (see figure 1). By end of 2011, the number grew up to 1.8 ZB [7]. Further, it is expected that this number will reach 35 ZB in 2020. As in many cases with ICT, this estimate may prove to be too conservative.




Fig 2: Data generated from the Internet of Things will grow exponentially as the number of connected nodes increases. Estimated numbers of connected nodes based on different sectors are presented in Millions [9].

Due to recent development in sensor devices and other related technologies, the cost of data acquisition has dramatically come down [10], [11]. Even though sometime, initial costs are high, continues data acquisition remains very cheap. Initial costs are also going down with recent developments in sensor technologies such as Arduino (arduino.com).

According to the BCC Research [12], global market for sensors was around \$56.3 billion in 2010. In 2011, it was around \$62.8 billion. Global market for sensors is expected to increase up to \$91.5 billion by 2016, at a compound annual growth rate of 7.8%.

IBM attributed the growing amount of big data towards instrumented, interconnected, intelligent world which is envisioned by Internet of Things [13]. Infosys [14] acknowledges intelligence, cloud computing, and sensor networks as three significant themes in the evolution of pervasive computing.

II Sensing Big Data

Big data is not new concept or idea. However, earlier notions of big data were limited to few organizations such as Google, Yahoo, Microsoft, and European Organization for Nuclear Research (CERN). However, with recent developments in technologies such as sensors, computer hardware and the Cloud, the storage and processing power increase and the cost comes down rapidly. As a result, many sources (sensors, humans, applications) start generating data and organizations tend to store them for long time due to inexpensive storage and processing capabilities. Once that big data is stored, a number of challenges arise such as processing and analyzing.

There is no clear definition for 'Big Data'. It is defined based on some of its characteristics. The big data does not mean the size. There are three characteristics that can be used to define big data, as also known as 3V's [13]: volume, variety, and velocity (figure 3).

- **Volume:** Volume relates to size of the data such as terabytes (TB), petabytes (PB), zettabytes (ZB), etc.
- **Variety:** Variety means the types of data. In addition, difference sources will produce big data such as sensors, devices, social networks, the web, mobile phones, etc. For example, data could be web logs, RFID sensor readings, unstructured social networking data, streamed video and audio.
- **Velocity:** This means how frequently the data is generated. For example, every millisecond, second, minute, hour, day, week, month, year. Processing frequency may also differ from the user requirements. Some data need to be processed real-time and some may only be processed when needed. Typically, we can identify three main categories: occasional, frequent, and real-time.

Some researchers consider Value also as a main characteristic of big data. This means that somewhere within that data, there is some valuable information – golden data to extract, though most of the pieces of data individually may seem valueless.

EMC [15] has defined big data as any attribute that challenges constraints of a system capability or business need .For example, EMC recognizes 40MB PowerPoint presentation as a big data, because 40MB is big compared to typical size of a PowerPoint presentation. Further, 1PB animation and a 1TB medical image are considered as big data as they are big in size compared to the typical size of each. Further, the data we consider big today may not be considered big tomorrow due to the advances in processing, storage and other system capabilities.

There are number of challenges related to big data. Due to its characteristics some of the inherited challenges in big data are capture, storage, search, analysis, and virtualization.

Some of the typical areas that produce big data are meteorology, genomics, physics, simulations, biology and environmental science. It is predicted that vehicles will be a major source that would produce big data [16]. The number of vehicles used and the growing rates around the world justify the prediction. Further, some of the potential application areas of big data analytics are smart homes, finance, log analysis, security, traffic control, telecommunications, search quality, manufacturing, trade analysis, fraud and risk [5], [17].




Fig 3: Characteristics of Big Data (V^3) [13]

Big data is everywhere, even in jogging. One example of application of sensing technologies in our everyday life is *Nike+iPod/iPhone* application [18]. It is an application that collects and tracks information such as work out details, distance, calories burnt, etc. of a jogger using Nike footwear and iPhone/iPod. Another similar application is *iSmooth Run* (www.ismoothrun.com). Further, it allows uploading data to the fitness social networks such as RunKeeper.com. The data becomes ‘big’ when we consider millions of users.

Sensors collect information in natural disaster situations in order to optimally utilize resources and manage supply chains [5]. For example, during the disaster at Japan’s Fukushima Daichi nuclear plant in 2011, sensors were used to take radiation measurements without human intervention [6].

The following statistics can be used to further explain the big data. For example, more than 12TB (155 million tweets) of tweets in Twitter and 25TB of log data (30 billion pieces of content) in Facebook are generated every day. Further, 30 billion RFID tags and 4.6 billion camera phones are used around the world today. In addition, 200 million smart meters to be operated in 2014. Moreover, there were 2 billion people on web in 2011 [5], [13].

Four detectors in Large Hadron Collider (LHC) produced 13 petabyte (PB) of data in 2010 [20]. Wal-Mart generates 2.5 petabyte (PB) of customer transaction data every hour. Further, if Wal-Mart operates RFID on item level, it is expected to generate 7 terabytes (TB) of data every day [21].

In future, large radio astronomy arrays, for example, Square Kilometer Array (SKA), will generate data at rates far higher than that can be processed or stored affordably using current technology [17]. The big data has become an industry itself which is worth around USD 100 billion and growing at a 10% rate annually [23], where major players such as Oracle, Microsoft, SAP, and IBM spend significantly due to the potential value of big data.

London [26] has deployed significant amount of sensor roadways in order to monitor traffic in real-time to optimum traffic management targeting 2012 Olympics. In general, sensors in roadways can be used to optimize route for fuel efficiency. Let’s assume that governments deploy and own these sensors. However, there would be several other

organizations that would interest on the data collected by those roadway sensors such as traffic update providers and weather information providers [22]. Government may deploy roadways sensors with the focus of collecting traffic information. However, several other organizations would like to access those sensor data so they can analyse sensor data in different perspectives and provide their customer with value added services. Further, these third party organizations can pay a fee to the government and get access to the sensor data provided by roadway sensors. In summary, government can provide sensing data as a service. Therefore, this Sensing as a service model can be applied well here.

III Why Big Data?

Big data is important for us in many perspectives. The significant amount of data generated allows us to make decisions in timely manner where money can be saved and operations can be more optimized in both public and private sector. For example, in retail business, consumer behavior and preferences can be understand by analyzing the big data which includes, customer movement in the store or online webs site, transactions, product searches, etc. [27]. Big data allows *Data-Driven Decision Making* [28]. United States Healthcare Big Data World [29], which comprises records of over 50 million patients, uses data-driven concept to find out the challenges in healthcare sector. The potential queries that they are expecting to process over big data are very complex.

Today's supply chain management poses many problems. It performs poorly in responding to market demands, supplier condition, etc. in real-time. The big data collected through IoT infrastructure based on sensing as a service has the potential to diminish these inefficiencies. Research on supply chain management [30] has identified five technologies that will make the process more efficient: mobility, Internet of Things, big data, predictive analysis, and cloud computing. These five areas are strongly interconnected. Internet of Things and mobility provide the sensors that can sense in real-time even while moving. These sensors will produce big data, that is high volume, high variety data in high velocity. So these collected data need to be analyzed in order to extract knowledge. Predictive analysis techniques will do the job. However, it cannot be done in traditional computing environment where processing, and storing power are limited and expensive. An elastic infrastructure, such as the cloud, needs to be used to perform such techniques over big data. In other terms, the cloud binds to the Internet of Things [7].

In business perspective, big data has the potential to generate more revenue, reduce risk, and predict future outcomes with greater confidence in low cost [31]. IBM [31] has identified some of the challenges that can be addressed by using big data. For example, analyze multi-channel customer sentiment and experience, detect life-threatening conditions at hospitals in time to intervene, predict weather patterns to plan optimal wind turbine usage, and optimize capital expenditure on asset placement, make risk decisions based on real-time transactional data, identify criminals and threats from disparate video, audio, and data feeds.

IV Technologies around Big Data

McKinsey Global Institute [9] discusses some of the existing technologies such as machine learning techniques that need to be extended to be used in big data. Further,

McKinsey report identifies additional technologies such as massive parallel-processing (MPP) databases, distributed file systems, cloud computing technologies, etc. that complement the big data management.

The techniques need to be developed to tackle the challenges such as extracting, transformation, integrating, sorting and manipulating data [32]. Basic techniques of meaningful data extraction from big data consists five steps [29]: define, search, transform, entity resolution, answer the query. These conceptual steps are more related to traditional data mining research domain. However, technology behind these conceptual steps will be varying significantly due to the unique characteristics of big data. SAP's Hana tool (sap.com/hana) provides analysis of massive amount of data 3,600 times faster for real-time business.

Scalable and distributed data management has been a key priority among the database research community for more than three decades. Due to lack of cloud feature and high costs in relational database management systems are less favour to be used in big data and cloud environment [33]. NoSQL movement has fuelled the big data significantly. As storage is essential component in big data, there are numbers of commercial and open source solutions available that supports big data requirements.

In NoSQL² technologies, there are four varieties: Key-value, document store, wide column stores, and graph databases. Out of these four technologies, graph databases are favored to be used to store information with complex relationships among pieces of data such as social network data, semantic and linked data. Neo4J is an example for this type of database.

Popular Key-value based data storage products are Dynamo (aws.amazon.com/dynamodb), Redis (redis.io), Riak (basho.com/Riak), Amazon SimpleDB (aws.amazon.com/simpledb), and Windows Azure Table Storage (windowsazure.com). Popular document store technology based products are CouchDB (couchdb.apache.org), and MongoDB (mongodb.org). Popular wide column based products are Apache HBase (hbase.apache.org), Hadoop (hadoop.apache.org), and Cassandra (cassandra.apache.org). However, the one getting the most attention is Hadoop as it based on popular distributed processing friendly MapReduce³ technology. However, there is no single perfect data management solution for the cloud to manage big data.

Due to high number of big data producers and high frequency of data generation, the gap between data available to organization and data an organization can process is getting wider all the time as illustrated in fig 4 [5].




Fig 4: the volumes of data available to organizations today in on rise rapidly, while the

volumes of data that can be processed by an organization rise slowly. This creates a gap between the two.

In Other words, the percentage (%) of data an organization can analyse is on the decline [5]. Pervasive systems produce high-dimensional data with the use of very sophisticated and advanced sensors. They require high computational power to be processed and storage. For example, high-dimensional data such as brain signal (EEG) are usually processed using client-server architecture. However, [34] has shown that map-reduce based scalable cloud computing architecture can process brain signal more efficiently. In addition, how to manage sensor data in cloud environment has been explained in [35] in relation with wearable sensor domain. Arduino as sensor platform, Google App Engine (appengine.google.com) as cloud platform, and Google Datastore as the database to store sensor data has been employed in the experiments. Connecting and managing sensor via cloud is a critical milestone in the process of sharing sensors and sensor data in Sensing as a service model.

V Sensing as a service Model

Providing everything as a service is model that emerged with cloud computing. Garter defines [10] cloud computing as *astyle of computing in which massively scalable IT-related capabilities are provided “as a service” using Internet technologies to multiple external customers.*

Cloud computing is expected to play a significant role in IoT paradigm. The cloud storage and processing capabilities are essential to make the IoT vision a reality.

Cloud computing consists of three main layers or model, Infrastructure as a Service (IaaS), Platform as a Service (PaaS), and Software as a Service (SaaS). Each layer has been discussed comprehensively in [10]. In addition to the above main layer, some other layers are also introduced and discussed in literature such as Database as a Service (DBaaS), Data as a Service (DaaS), Ethernet as a Service (EaaS), Network as a Service (NaaS), Identity and Policy Management as a Service (IPaaS), and Sensing as a service (SaaS). In general, all these models are called XaaS, which means ‘X’ can be virtually anything. In this paper we discuss only, Sensing as a service (SaaS) model [36], [37].

In IoT domain, sensor data are not the only information that will be stored. More importantly relevant context information will be always annotated to the raw sensor data for later retrieval purpose. The context data add more meaning and value to the sensor data. However, it will also increase the storage requirements in many times. For example [38], for each sensor reading context information such as what properties are measured, which sensors available, where are they located, how are they configured, who is responsible will be stored.

Architectural design challenges for sensor web are presented in [39] as flexibility to facilitate different application requirements, distributed reasoning and decision making, number of layers to be average not low or high, ease of deployment, and availability in term of licensing. [39] have also survey variety of different architectures and sensor web applications. Sensor web architecture and application can be considered as preliminary approached of sensing as a service model. SaaS can be developed on top of these sensor web architectures.

Sensor-Cloud [40] is an infrastructure that aims at managing physical sensors by connecting them to the cloud. Sensor-Cloud uses SensorML⁴ to describe the metadata of physical sensors such as physical sensors' description and measurement processes. SensorML is a standard model and an XML encoding mechanism for describing sensors defined OGC (Open Geospatial Consortium). Sensor-Cloud bundles the physical sensors in o virtual sensors where users can combine them together to achieve advanced results. Sensor-Cloud allows users to use sensors without worrying about the details. It also provides physical sensor management capabilities such as checking the usage of their physical sensors. However, Sensor-Cloud does not focus on offering sensor data as a service. Instead, it focuses on managing sensors via cloud.

Senaas [41] (Sensor-as-a-Service) has proposed to encapsulate both physical and virtual sensors in to services according to Service Oriented Architecture (SOA). Senaas mainly focuses on providing sensor management as a service rather than providing sensor data (collection and dissemination) as a service. It consists three layers: real world access layer, semantic overlay layer, and services virtualization layer. Real world access layer is responsible for communicating with sensor hardware. Semantic overlay layer adds semantic annotation to the sensor configuration process. Services virtualization layer facilitates the users. Similar approach is presented in [42] where sensors are wrapped in to service in SOA with semantic annotation which leads to automated sensor service discovery and composition

Open IoT [43] (Open Source blueprint for large scale self-organizing cloud environments for IoT applications) is aimed at developing an open source middleware platform to connect Internet-objects to the cloud. The OpenIoT project will leverage existing IoT middleware solutions such as Global Sensor Network⁵ and ASPIRE (fp7-aspire.eu). OpenIoT defines IoT as a combination of sensor data and applications. OpenIoT concentrates on providing a cloud-based middleware infrastructure in order to deliver on-demand access to IoT services, which could be formulated over multiple infrastructure providers [44]. The Objective of IoT is to provide utility based services such as Sensing as a service, Location-as-a-Service, and Traceability-as-a-Service.

Every year, Australian grain breeders plant up to 1 million 10 m² plots across the country to find the best high yielding varieties of wheat and barley. The plots are usually located in remote places – often requiring more than four hours travel one-way to reach. The challenge is to monitor the crop performance and growing environment throughout the season and return the information in an easily accessible format. “Phenonet” wireless sensor networks are now routinely deployed in wheat variety trials throughout Australia by staff at the High Resolution Plant Phenomics Centre (HRPPC) (<http://phenonet.com>) in order to collect information over a field of experimental crops. Currently, the sensors are deployed around 40 plots. These sensors produce two million data points per week. If and when the sensors are eventually deployed around all or majority of plots, the overall amount of sensed data will really be big data.

VI Challenges in Big Data Management

The challenges in big data can be broadly divided in to two categories: engineering and semantic [29]. Engineering challenge is to perform data management activities such as query, and storage efficiently. Semantic challenge is to extract the meaning of the

information from massive volumes of unstructured dirty data. Several other challenges in big data are presented in [29] with details. The Jet Propulsion Laboratory (JPL) has identified number of major challenges in big data management [17].

- **High volume of processing using low power consumed digital processing architecture.** Power that needs to process the data as well as power that is required to cool the processing system need to be considered together in designing such systems.
- **Discovery of data-adaptive Machine learning techniques that can analyse data in real-time.** These techniques are critical specifically, in situation where data, high time and spectral resolution, are produced by many antennas in Very Long Baseline Array that cannot be stored due to size for later analysis.
- **Design scalable data storages that provide efficient data mining.** Storing any kind of data is useless unless they cannot be retrieved and extract the knowledge efficiently. For example, if we send all the data sensed to the cloud to be stored at very high sampling rate, the wide-area networks may cause network congestion. They are always a trade of between when we decide where to store and process, specifically in IoT domain. If we choose to process in the cloud, all the data need to be send to the cloud which will resulted unacceptable communication latency. Similarly, if we choose to process data locally, the resource may not be enough to achieve the desired result at desired speed. Patidar et al [10] have identified a number of key challenges in big data management related to the cloud.
- **Data security and privacy:** This is about managing access control to the big data. It is critical in Sensing as a service model that we discussed earlier.
- **Approximate results:** Due to the volume and the velocity of big data, approximate results would be order of magnitude faster compared to traditional query execution. It need be decided where and when to use approximation where it will not harm the accuracy of the results or decision that emerged based on approximated results.
- **Data exploration to enable deep analytics:** Certainly, new technologies are required to analyze large volumes of data faster with efficient resource and power consumptions.
- **Enterprise data enrichment with web and social media:** The big data has more relationships among themselves that ever in history. This is also related to Linked Data and social media. Real value of big data will be merged once we are able to preserver and identify the relationships between data.
- **Query optimization:** In order to harvest the knowledge hidden in big data optimized query processing in essential. Optimization need to consider in different perspectives such as energy consumption, required memory, processing time, storage requirements, etc. Parallel processing would be the key in query processing in cloud environments.
- **Performance isolation for multi-tenancy:** This is about designing and developing model of performance service level agreements for multi-tenant data systems that can be metered at low overhead.

VII Conclusions

Big data consists of hidden gold (high-valued data) mixed with dirty (noise, erroneous and raw) data. The advanced systems and innovative technologies will allow us to efficiently process massive amounts of dirty data and extract gold out of it. It will require concentrated efforts by ICT researchers and practitioners to meet the challenge of big data and ride the wave of information implosion.

References

- [1] Harald Sundmaeker, Patrick Guillemin, Peter Friess, and Sylvie Woelffle, "Vision and Challenges for Realising the Internet of Things," European Commission Information Society and Media, Tech. rep. 2010.
- [2] Kevin Ashton. (2009, June) That 'Internet of Things' Thing In the real world, things matter more than ideas. [Online]. <http://www.rfidjournal.com/article/print/4986>
- [3] Mark Weiser, "The computer for the 21st century," *SIGMOBILE Mob.Comput. Commun. Rev.*, vol. 3, no. 3, pp. 3-11, July 1999. [Online].<http://doi.acm.org/10.1145/329124.329126>
- [4] Paul Zikopoulos. (2012, March) IBM Big Data: What is Big Data Part 1 and 2. [Online]. <http://www.youtube.com/watch?v=B27SpLOOhWw> [Accessed on: 2012-06-08]
- [5] E. Ackerman and E. Guizzo, "5 technologies that will shape the web," *Spectrum, IEEE*, vol. 48, no. 6, pp. 40-45, june 2011.
- [6] D.A. Reed, D.B. Gannon, and J.R. Larus, "Imagining the Future: Thoughts on Computing," *Computer*, vol. 45, no. 1, pp. 25-30, jan. 2012.
- [7] Mark Raskino, Jackie Fenn, and Alexander Linden, "Extracting Value From the Massively Connected World of 2015," Gartner Research, Tech. rep. 2005.
- [8] James Manyika et al., "Big data: The next frontier for innovation, competition, and productivity," McKinsey Global Institute, Tech. rep. May 2011.
- [9] S. Patidar, D. Rane, and P. Jain, "A Survey Paper on Cloud Computing," , Jan. 2012, pp. 394-398.
- [10] Henriette Cramer, Mattias Rost, Frank Bentley, and David Ayman Shamma, "2nd workshop on research in the large. using app stores, wide distribution channels and big data in ubicomp research," , New York, NY, USA, 2011, pp. 619-620. [Online]. <http://doi.acm.org/10.1145/2030112.2030244>
- [11] BCC Research, "Sensors: Technologies and Global Markets,"
- [12] Chris Eaton, Dirk Deroos, Tom Deutsch, George Lapis, and Paul Zikopoulos, *Understanding Big Data.:* McGraw-Hill Companies, April 2012, <http://public.dhe.ibm.com/common/ssi/ecm/en/iml14296usen/IML14296USEN.pdf> [Accessed on: 2012-06-08].
- [13] Infosys Limited, "Pervasive Computing View Point," Infosys, Tech. rep. 2011.
- [14] Patricia Florissi. (2012, February) Emc And Big Data - A Fun Explanation.

- [Online]. <http://www.youtube.com/watch?v=eEpxN0htRKI> [Accessed on: 2012-06-08]
- [15] Katie Fehrenbacher. (2010, August) Car Data As the Next Platform for Innovation. [Online]. <http://gigaom.com/cleantech/car-data-as-the-next-platform-for-innovation/> [Accessed on: 2012-06-08]
- [16] D.L. Jones et al., "Big data challenges for large radio arrays," , march 2012, pp. 1-6.
- [17] Apple Inc. (2006, May) Nike+iPod Sports Kit. [Online]. <http://www.apple.com/ipod/nike/> [Accessed on: 2012-06-08]
- [18] Katie Fehrenbacher. (2011, December) California to develop big data greenhouse gas sensor network. [Online]. <http://gigaom.com/cleantech/california-to-develop-big-data-green-house-gas-sensor-network/> [Accessed on: 2012-06-08]
- [19] Geoff Brumfiel, "High-energy physics: Down the petabyte highway," *Nature*, pp. 282-283, January 2011.
- [20] Leonardo Weiss Ferreira Chaves and Christian Decker, "A survey on organic smart labels for the Internet-of-Things," , pp. 161-164.
- [21] The Economist Newspaper Limited. (2010, February) Data, data everywhere. [Online]. <http://www.economist.com/node/15557443> [Accessed on: 2012-06-08]
- [22] Tuan C. Nguyen. (2012, March) School uniform alerts parents when students skip class. [Online]. <http://www.smartplanet.com/blog/thinking-tech/school-uniform-alerts-parents-when-students-skip-class/10957> [Accessed on: 2012-06-08]
- [23] Jing Liu et al., "An open, flexible and multilevel data storing and processing platform for very large scale sensor network," , feb. 2012, pp. 926-930.
- [24] Kevin Benedict, Moneyball, Big Data, The Internet of Things and Enterprise Mobility, March 2012, <http://cloudcomputing.sys-con.com/node/2181866> [Accessed on: 2012-06-08].
- [25] Christian Bizer, Peter Boncz, Michael L. Brodie, and Orri Erling, "The meaningful use of big data: four perspectives -- four challenges," *SIGMOD Rec.*, vol. 40, no. 4, pp. 56-60, #jan# 2012. [Online].<http://doi.acm.org/10.1145/2094114.2094129>
- [26] Lora Cecere. (2012, June) Five Supply Chain Opportunities in Big Data and Predictive Analytics. [Online]. <http://data-informed.com/five-supply-chain-opportunities-in-big-data-and-predictive-analytics/> [Accessed on: 2012-06-08]
- [31] Basil Yunan. (2012, June) What is Big Data's role in helping companies achieve competitive advantage through analytics. [Online]. https://www-950.ibm.com/events/wwe/grp/grp004.nsf/v16_agenda?openform&semi nar=9EBKW9ES&locale=en_US
- [32] Doug Henschen. (2012, October) 3 Big Data Challenges: Expert Advice. [Online]. <http://www.informationweek.com/news/software/bi/231900914> [Accessed on: 2012-06-08]

- [33] Divyakant Agrawal, Sudipto Das, and Amr El Abbadi, "Big data and cloud computing: current state and future opportunities," , New York, NY, USA, 2011, pp. 530-533. [Online]. <http://doi.acm.org/10.1145/1951365.1951432>
- [34] Samah H. Gad, "Cloud computing and mapreduce for reliability and scalability of ubiquitous learning systems," , New York, NY, USA, 2011, pp. 273-278 <http://doi.acm.org/10.1145/2095050.2095096>
- [35] Charalampos Doukas and Ilias Maglogiannis, "Managing Wearable Sensor Data through Cloud Computing," , Washington, DC, USA, 2011, pp. 440-445. [Online]. <http://dx.doi.org/10.1109/CloudCom.2011.65>
- [36] Bhaskar Prasad Rimal, Eunmi Choi, and Ian Lumb, "A Taxonomy and Survey of Cloud Computing Systems," , Washington, DC, USA, 2009, 44-51. [Online]. <http://dx.doi.org/10.1109/NCM.2009.218>
- [37] Minqi Zhou, Rong Zhang, Dadan Zeng, and Weining Qian, "Services in the Cloud Computing era: A survey," , oct. 2010, pp. 40-46.
- [38] Jean-Paul Calbimonte, Hoyoung Jeung, Oscar Corcho, and Karl Aberer, "Semantic Sensor Data Search in a Large-Scale Federated Sensor Network," , 2011. Klaithem Al Nuaimi, Mariam Al Nuaimi, Nader Mohamed, Imad Jawhar, and Khaled Shuaib, "Web-based wireless sensor networks: a survey of architectures and applications," , New York, NY, USA, 2012, 113:1--113:9. [Online]. <http://doi.acm.org/10.1145/2184751.2184881>
- [39] M. Yuriyama and T. Kushida, "Sensor-Cloud Infrastructure - Physical Sensor Management with Virtualized Sensors on Cloud Computing," , sept. 2010, pp. 1-8.
- [40] S. Alam, M. M. R., and J. Noll, "SenaaS: An event-driven sensor virtualization approach for Internet of Things cloud," , pp. 1-6. J. Ibbotson et al., "Sensors as a Service Oriented Architecture: Middleware for Sensor Networks," , july 2010, pp. 209-214.
- [41] Open IoT Consortium. (2012, January) Open Source Solution for the Internet of Things into the Cloud. [Online]. <http://www.openiot.eu/> [Accessed on: 2012-04-08]
- [42] Martín Serrano, PROBEIoT Workshop: Challenges for Semantic Interoperability, March 2012, http://www.probe-it.eu/wp-content/uploads/2012/04/7-OpenIoT_Semantic_Interoperability_20120326_Final_Version.pdf [Accessed on: 2012-06-08].